

Dimensions in cm.

Projection Angle:

First

Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 1/4

F:\CAIXAS ACÚSTICAS\DISCOTECA\D1505C1\D1505C1INGLÊS

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)

USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)


**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
[www.selenium.com.br](http://www.selenium.com.br)

This cabinet is the necessary complement to the subwoofer cabinets, generally used in discos, where the cut off frequency is the 80-100 Hz range. The 15" unit is intended to reproduce the bass band from 80-100 Hz to 300 Hz. The 10MB1P speaker will cover the mid-bass range from 300 Hz to 1,200 Hz and the titanium driver D205TI will reproduce from 1,200 Hz up to the end of the audio band.

**Components:**

WPU1505 or WPU1507 woofer (1 piece)  
10MB1P mid-bass (1 piece)  
D205TI driver (1 piece)  
HM17-25 horn (1 piece)



Projection Angle:

First

Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 2/4

F:\CAIXAS ACÚSTICAS\DISCOTECA\D1505C1\D1505C1INGLÊS

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)USA Address:  
**SELENIUM USA**  
USA  
[www.seleniumloudspeakers.com](http://www.seleniumloudspeakers.com)**SELENIUM**  
LOUDSPEAKERSBRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
[www.selenium.com.br](http://www.selenium.com.br)

NOTES:

Net Internal Volume of the 15" Speaker Chamber: 50 liters.

Net Internal Volume of the Mid-bass Chamber: 15 liters.

## Cut off Frequencies:


15" Speaker: Low: 80 Hz - 100 Hz.  
High: 300 Hz.

Mid-bass: Low: 300 Hz.  
High: 1,200 Hz.


Driver: Low: 1,200 Hz.

Item	Qty	Description	Material	Notes
1	2	Top/Botton	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Back	Plywood 20 mm	
4	1	Panel	Plywood 20 mm	
5	1	Partition 1	Plywood 20 mm	
6	2	Duct 1	Tube 50 mm Diameter	
7	2	Duct 2	Tube 75 mm Diameter	
8	1	Partition 2	Plywood 20 mm	


Specifications subject to  
change without notice.




Item 4  
Qty: 1 piece




Item 1  
Qty: 2 pieces




Item 5  
Qty: 1 piece




Item 3  
Qty: 1 piece




Item 8  
Qty: 1 piece



Item 7  
Qty: 2 pieces



Item 2  
Qty: 2 pieces



Item 6  
Qty: 2 pieces

Dimensions in cm.

Projection Angle:

First

Specifications subject to  
change without notice.

03/03 - Rev.: 01 - Page: 4/4

F:\CAIXAS ACÚSTICAS\DISCOTECA\D1505C1\D1505C1INGLÊS

EUROPE Address:  
**SELENIUM EUROPE**  
Germany  
www.seleniumloudspeakers.com

USA Address:  
**SELENIUM USA**  
USA  
www.seleniumloudspeakers.com

**SELENIUM**  
LOUDSPEAKERS

BRAZIL Address:  
**ELETRÔNICA SELENIUM S.A.**  
BR 386 Km 435 / 92.480-000  
Nova Santa Rita - RS - Brazil  
Fax: +(55) 51 479-1120  
www.selenium.com.br