




Section A-A



Dimensions in cm.

Projection Angle:

First 

Specifications subject to
change without notice.

08/03 - Rev.: 01 - Page: 1/6

F:\CAIXAS ACÚSTICAS\TRIO ELÉTRICO\HB1502B1\HB1502B1.IIN

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com


USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

Reinforced low frequency folded horn for the use on big trucks mobile sound systems (trio eletricos) and conventional PA systems. High efficiency frequency response from 40 to 200 Hz.

Components:
15SW1P subwoofer or
WPU1505 or WPU1507 woofer (2 pieces)



Projection Angle:

First

Specifications subject to
change without notice.

08/03 - Rev.: 01 - Page: 2/6

F:\CAIXAS ACÚSTICAS\TRIO ELÉTRICO\HB1502B1\HB1502B1.IIN

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

NOTES:

Gross internal volume of the 15" low frequency chamber: 63 liters.
Net internal volume of the 15" low frequency chamber: 57 liters.

Perimeter of the mouth of the horn: 290,0 centimeters.
Medium lenght of the folded horn: 144 centimeters.


Cut off Frequency:

15" Speaker: Low: 40 Hz.
High: 200 Hz.


Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

Item	Qty	Description	Material	Notes
1	2	Basis/Cover	Plywood 18 mm	
2	1	Lateral 1	Plywood 18 mm	
3	3	Frame 1	Wood 40x40 mm	
4	1	Lateral 3	Plywood 18 mm	
5	1	Lateral 2	Plywood 18 mm	
6	1	Back	Plywood 18 mm	
7	2	Corner Plate	Plywood 18 mm	
8	2	Frame 3	Wood 20x20 mm	
9	2	Frame 4	Wood 20x20 mm	
10	3	Frame 5	Wood 20x20 mm	
11	1	Lateral Panel	Plywood 18 mm	
12	4	Internal Reinforcement 1	Plywood 18 mm	
13	4	Internal Reinforcement 2	Plywood 18 mm	
14	4	Internal Reinforcement 3	Plywood 18 mm	
15	1	Internal Panel 1	Plywood 18 mm	
16	1	Internal Panel 2	Plywood 18 mm	
17	1	Exponential 1	Plywood 18 mm	
18	1	Exponential 2	Plywood 18 mm	
19	1	Exponential 3	Plywood 18 mm	
20	1	Exponential 4	Plywood 18 mm	
21	1	Partition	Plywood 18 mm	
22	2	Frame 2	Wood 20x20 mm	
23	1	Reinforcement 2 of the Frame	Wood 20x20 mm	
24	1	Reinforcement 1 of the Frame	Wood 20x20 mm	


Specifications subject to
change without notice.




Item 2
Qty: 1 piece




Item 6
Qty: 1 piece




Item 5
Qty: 1 piece




Item 4
Qty: 1 piece




Item 14
Qty: 4 pieces



Item 13
Qty: 4 pieces



Item 12
Qty: 4 pieces



Item 21
Qty: 1 piece

Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

08/03 - Rev.: 01 - Page: 4/6


F:\CAIXAS ACÚSTICAS\TRIO ELÉTRICO\HB1502B1\HB1502B1I1N


EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br





Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

08/03 - Rev.: 01 - Page: 6/6

F:\CAIXAS ACÚSTICAS\TRIO ELÉTRICO\HB1502B1\HB1502B1I1N

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br