



Section A-A



Section B-B



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 1/5

F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2G1\PAS2G1\INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com


USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

Low frequency cabinet, trapezoidal shape, bass-reflex
type for use in PA systems with two 18" low frequency driver.

Components:
18SW1P or 18SW2P subwoofer or
WPU1805 or WPU1807 woofer (2 pieces)



Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 2/5

F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2G1\PAS2G1INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

NOTES:

Net internal volume of the 18" low frequency driver chamber: 150 liters (each).

Cut off Frequency:


18" Speaker: Low: 40 Hz.

High: should match the low cut off frequency of the next channel enclosure.

Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

Item	Qty	Description	Material	Notes
1	2	Top/Bottom	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Partition	Plywood 20 mm	
4	2	Front Panel	Plywood 20 mm	
5	2	Duct Wall	Plywood 20 mm	
6	1	Back	Plywood 20 mm	
7	2	Duct Reinforcement	Plywood 20 mm	
8	2	Frame 1	Plywood 20 mm	
9	2	Frame 2	Plywood 20 mm	

Specifications subject to
change without notice.



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 4/5




F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2G1\PAS2G1\INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 5/5



F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2G1\PAS2G1\INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com


USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS


BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br



Section A-A



Section B-B



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 1/6

F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2MA2\PAS2MA2INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com


SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br

Trapezoidal cabinet, two way, horn type, for use in PA systems, with two 10" mid-bass and one titanium compression driver with horn.

Components:

10MB1P mid-bass (2 pieces)
 D4400Ti or D408Ti or D3300Ti DPD or
 D3305Ti DPD driver (1 piece)
 HL4750-SLF horn (1 piece)



Projection Angle:

First

Specifications subject to
 change without notice.

03/03 - Rev.: 01 - Page: 2/6

F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2MA2\PAS2MA2INGLES

EUROPE Address:
SELENIUM EUROPE
 Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
 USA
www.seleniumloudspeakers.com

SELENIUM
 LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
 BR 386 Km 435 / 92.480-000
 Nova Santa Rita - RS - Brazil
 Fax: +(55) 51 479-1120
www.selenium.com.br

NOTES:

Cut off Frequency:


10" Speaker: Low: 200 Hz.
High: 1.200 Hz.

Driver: Low: 1.200 Hz.


Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

Item	Qty	Description	Material	Notes
1	2	Top/Botton	Plywood 20 mm	
2	2	Lateral	Plywood 20 mm	
3	1	Panel 1	Plywood 20 mm	
4	1	Rear Panel 1	Plywood 20 mm	
5	1	Frame 1	Plywood 20 mm	
6	4	Frame 2	Plywood 20 mm	
7	2	Ramp 1	Plywood 20 mm	
8	1	Panel 2	Plywood 20 mm	
9	1	Panel 3	Plywood 10 mm	
10	1	Panel 4	Plywood 10 mm	
11	2	Ramp 2	Plywood 20 mm	
12	1	Partition 1	Plywood 20 mm	
13	2	Wedge	Plywood 20 mm	
14	1	Rear Panel 2	Plywood 20 mm	
15	2	Frame 3	Plywood 20 mm	
16	4	Frame 4	Plywood 20 mm	
17	1	Partition 2	Plywood 20 mm	
18	1	Wedge to Support the Horn	Wood	


Specifications subject to
change without notice.




Item 1
Qty: 2 pieces





Item 11
Qty: 2 pieces




Item 12
Qty: 1 piece



Item 7
Qty: 2 pieces



Item 13
Qty: 2 pieces



Item 18
Qty: 1 piece

Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 4/6


F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2MA2\PAS2MA2INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com


SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br



Dimensions in cm.

Projection Angle:

First 

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 5/6






F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2MA2\PAS2MA2INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br



Dimensions in cm.

Projection Angle:

First

Specifications subject to
change without notice.

03/03 - Rev.: 01 - Page: 6/6

F:\CAIXAS ACÚSTICAS\PAS\PAS2\PAS2MA2\PAS2MA2INGLES

EUROPE Address:
SELENIUM EUROPE
Germany
www.seleniumloudspeakers.com

USA Address:
SELENIUM USA
USA
www.seleniumloudspeakers.com

SELENIUM
LOUDSPEAKERS

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
www.selenium.com.br